Available online at www.sciencedirect.com
ScienceDirect
Aquaculture
ELSEVIER
Aquaculture 264 (2007) 479–481
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 264

VOL. 264 NOS. 1–4 **6 April 2007**

Editorial

Use of the generic name *Penaeus*
D.J. Alderman, B.A. Costa-Pierce, E.M. Donaldson, G. Hulata and R.P. Wilson 1

Review Article

The right to refuse revision in the genus *Penaeus*
T.W. Flegel (Bangkok, Thailand) 2

Diseases

Real-time reverse transcription polymerase chain reaction assay using TaqMan probe for detection and quantification of *Infectious myonecrosis virus* (IMNV)
T.P.D. Andrade, T. Srisuvan, K.F.J. Tang and D.V. Lightner (Tucson, Arizona, USA) 9

A genetic map of large yellow croaker *Pseudosciaena crocea*
Y. Ning, X. Liu, Z.Y. Wang (Xiamen, China), W. Guo (Xiamen, Wuhan, China), Y. Li and F. Xie (Xiamen, China) 16

Effects of inbreeding on survival, body weight and fluctuating asymmetry (FA) in Nile tilapia, *Oreochromis niloticus*
Y. Fessehaye (Wageningen, The Netherlands; Sharkia, Egypt), H. Komen (Wageningen, The Netherlands), M.A. Rezk (Sharkia, Egypt), J.A.M. van Arendonk and H. Bovenhuis (Wageningen, The Netherlands) 27

Genetic aspect in broodstock management of the critically endangered Mekong giant catfish, *Pangasianodon gigas* in Thailand
K. Sriphairoj, W. Kamonrat and U. Na-Nakorn (Bangkok, Thailand) 36

Genetics

Induced interspecific androgenesis using diploid sperm from allotetraploid hybrids of common carp × red crucian carp
Y. Sun, C. Zhang, S. Liu, W. Duan and Y. Liu (Hunan, People's Republic of China) 47

Induction of meiotic gynogenesis in sterlet (*Acipenser ruthenus*) using UV-irradiated bester sperm
D. Fopp-Bayat, R. Kolman and P. Woznicki (Olsztyn-Kortowo, Poland) 54

Genetic variation losses in Atlantic salmon stocks created for supportive breeding
G. Machado-Schiaffino, E. Dopico and E. Garcia-Vazquez (Oviedo, Spain) 59

Effectiveness of treatments against eggs, and adults of *Haliotrema* sp. and *Euryhaliotrema* sp. (Monogenea: Ancyrocephalinae) infecting red snapper, *Lutjanus guttatus*
E.J. Fajer-Ávila (Sinaloa, México), S.P. Velásquez-Medina (Sinaloa, México; Bogotá, Colombia) and M. Betancourt-Lozano (Sinaloa, México) 66

Seasonal variations of immune parameters in diploid and triploid Pacific oysters, *Crassostrea gigas* (Thunberg)
M.B. Duchemin (Plouzane, France; Pointe-Claire, Quebec, Canada), M. Fournier (Pointe-Claire, Quebec, Canada) and M. Auffret (Plouzane, France) 73

Effect of starvation on biological factors related to immunological defence in the Sydney rock oyster (*Saccostrea glomerata*)
D. Butt, S. Aladaileh (North Ryde, NSW, Australia), W.A. O'Connor (Taylors Beach, NSW, Australia) and D.A. Raftos (North Ryde, NSW, Australia) 82

Husbandry and Management

Effect of tank colour on *Artemia* ingestion, growth and survival in cultured early juvenile pot-bellied seahorses (*Hippocampus abdominalis*)
L. Martinez-Cardenas and G.J. Purser (Launceston, Tasmania, Australia) 92

Hard clam *Meretrix lusoria* to Hg-stressed birnavirus susceptibility revealed through stage-structured disease transmission dynamics
C.-M. Liao and C.-H. Yeh (Taipei, Taiwan, ROC) 101

Safety of electrolyzed seawater for use in aquaculture
M. Katayose (Nara, Japan), K. Yoshida, N. Achiwa (Aichi, Japan) and M. Eguchi (Nara, Japan) 119

Mixotrophic cultivation of microalga *Spirulina platensis* using molasses as organic substrate
M.R. Andrade and J.A.V. Costa (Rio Grande, Brazil) . . . 130
Effect of feeding rate and frequency on tambaqui (*Colossoma macropomum*) growth, production and feeding costs during the first growth phase in cages
C.R. Silva, L.C. Gomes and F.R. Brandão (Manaus, Brazil) . . . 135
Feeding with microbial flocs by tilapia in minimal discharge bio-flocs technology ponds
Y. Avnimelech (Haifa, Israel) . . . 140
Development of mussel (*Mytilus galloprovincialis*) seed from two different origins in a semi-enclosed Mediterranean Bay (N.E. Spain)
M. Ramón, M. Fernández and E. Galimany (Sant Carles de la Rapita, Spain) . . . 148
Management of productivity, environmental effects and profitability of shellfish aquaculture — the Farm Aquaculture Resource Management (FARM) model
J.G. Ferreira (Monte de Caparica, Portugal), A.J.S. Hawkins (Devon, United Kingdom) and S.B. Bricker (Silver Spring, MD, USA) . . . 160
Effect of rearing density on growth, survival and reproductive performance of domesticated *Penaeus monodon*
G.J. Coman, S.J. Arnold, M.J. Jones and N.P. Preston (Cleveland, Qld, Australia) . . . 175
Responses of some bio-geochemical cycling bacteria and their activities to management protocols under polyculture with Indian major carps and freshwater giant prawn
T.K. Jana, R.D. Banerjee and B.B. Jana (West Bengal, India) . . . 184
Effect of weaning age and diet on pikeperch larviculture
P. Kestemont, X. Xueliang, N. Hamza, J. Maboudou and I. Imorou Toko (Namur, Belgium) . . . 197
The effect of anti-fouling treatments for the clubbed tunicate on the blue mussel, *Mytilus edulis*
N. LeBlanc, J. Davidson (Charlottetown, Prince Edward Island, Canada), R. Tremblay (Rimouski, QC, Canada), M. McNiven (Charlottetown, Prince Edward Island, Canada) and T. Landry (Moncton, New Brunswick, Canada) . . . 205
The effect of differing self-feeding regimes on the growth, behaviour and fin damage of rainbow trout held in groups
C. Noble, K. Mizusawa, K. Suzuki and M. Tabata (Yamanashi, Japan) . . . 214
Growth of juvenile cobia, *Rachycentron canadum*, at three different densities in a recirculating aquaculture system
K.A. Webb Jr., G.M. Hitzfelder, C.K. Faulk and G.J. Holt (Port Aransas, TX, United States) . . . 223
Growth, faecal production, nitrogenous excretion and energy budget of juvenile yellow grouper (*Epinephelus awoara*) relative to ration level
L. Sun, H. Chen and L. Huang (Guangzhou, Shenzhen, PR China) . . . 228
The use of calcium pre-exposure as a protective agent against environmental copper toxicity for juvenile Nile tilapia, *Oreochromis niloticus* (L.)
M. Abdel-Tawwab, M.A.A. Mousa, M.H. Ahmad and S.F.M. Sakr (Sharqia, Egypt) . . . 236
The effect of diet type on growth and fatty-acid composition of sea urchin larvae, I. *Paracentrotus lividus* (Lamarck, 1816) (Echinodermata)
H. Liu (Oban Scotland, UK; Qingdao, PR China), M.S. Kelly, E.J. Cook, K. Black, H. Orr (Oban Scotland, UK), J.X. Zhu and S.L. Dong (Qingdao, PR China) . . . 247
The effect of diet type on growth and fatty acid composition of the sea urchin larvae, II. *Psammechinus miliaris* (Gmelin)
H. Liu (Oban Scotland, UK; Qingdao, P.R. China), M.S. Kelly, E.J. Cook, K. Black, H. Orr (Oban Scotland, UK), J.X. Zhu and S.L. Dong (Qingdao, P.R. China) . . . 263
Analysis of refractometry for determining total plasma protein in hybrid striped bass (*Morone chrysops* × *M. saxatilis*) at various salinities
M. Riche (Fort Pierce, FL, USA) . . . 279
Modelling survival and growth of *Mithraculus forceps'* larvae and juveniles (A. Milne Edwards, 1875) (Decapoda: Brachyura: Majidae) in aquaculture
G. Penha-Lopes, J. Figueiredo and L. Narciso (Cascais, Portugal) . . . 285
Nitrite-oxidizing bacteria, *Nitrospira*, distribution in the outer layer of the biofilm from filter materials of a recirculating water system for the goldfish *Carassius auratus*
S. Itoi, N. Ebihara, S. Washio and H. Sugita (Kanagawa, Japan) . . . 297
The effect of ionizing irradiation of post-larvae on subsequent survival and reproductive performance in the Kuruma shrimp, *Penaeus (Marsupenaeus) japonicus* (Bate)
M.J. Sellars (Cleveland, Brisbane, Qld, Australia), G.J. Coman, T.R. Callaghan, S.J. Arnold, J. Wakeling (Cleveland, Qld, Australia), B.M. Degnan (Brisbane, Qld, Australia) and N.P. Preston (Cleveland, Qld, Australia) . . . 309

Nutrition

Energy and nutrient utilization of juvenile green abalone (*Haliotis fulgens*) during starvation
M.T. Viana (Ensenada, México), L.R. D'Abramo (Mississippi State, MS, USA), M.A. Gonzalez, J.V. Garcia-Suárez (Ensenada, México), A. Shimada (Juriquilla, México) and C. Vásquez-Peláez (México, México) . . . 323
Digesta characteristics and performance of African catfish (*Clarias gariepinus*) fed cereal grains that differ in viscosity
J.I. Leenhouwers, M. ter Veld, J.A.J. Verreth and J.W. Schrama (Wageningen, The Netherlands) . . . 330
The effects of organic protein supplementation upon growth, feed conversion and texture quality parameters of juvenile cobia (*Rachycentron canadum*)
A.N. Lunger, E. McLean and S.R. Craig (Blacksburg, VA, United States) . . . 342

Digestibility of lupin kernel meals in feeds for the black tiger shrimp, *Penaeus monodon*
D.M. Smith, S.J. Tabrett (Cleveland, QLD, Australia), B.D. Glencross (North Beach, WA, Australia), S.J. Irvin and M.C. Barclay (Cleveland, QLD, Australia) . . . 353
Influence of lipid class and fatty acid deficiency on survival, growth, and fatty acid composition in rainbow trout juveniles
J. Rinchard, S. Czesny and K. Dabrowski (Columbus, OH, USA) . . . 363
Influence of dietary conjugated linoleic acid (CLA) and tetradecylthioacetic acid (TTA) on growth, lipid composition and key enzymes of fatty acid oxidation in liver and muscle of Atlantic cod (*Gadus morhua* L.)
S.R. Kennedy (Stirling, UK), R. Bickerdike (Grangemouth, Scotland, UK), R.K. Berge (Bergen, Norway), A.R. Porter and D.R. Tocher (Stirling, UK) . . . 372

Physiology and Endocrinology
Stimulatory effects of neuropeptide Y on food intake and growth of *Oreochromis niloticus*
G.A. Kiris, M. Kumlu and S. Dikel (Adana, Turkey) . . . 383
Comparison of estradiol, testosterone, vitellogenin and cathepsin profiles among young adult channel catfish (*Ictalurus punctatus*) females from four selectively bred strains
M. Barrero (Mississippi State, MS, United States; Caracas, Venezuela), B.C. Small (Stoneville, MS, United States), L.R. D'Abramo, L.A. Hanson (Mississippi State, MS, United States) and A.M. Kelly (Carbondale, IL, United States) . . . 390
Influence of temperature on gonadal development of *Ruditapes philippinarum* (Adams and Reeve, 1850) with special reference to ingested food and energy balance
M. Delgado (Tarragona, Spain) and A. Pérez Camacho (Coruña, Spain) . . . 398
Dietary n-3 HUFA deficiency induces a reduced visual response in gilthead seabream *Sparus aurata* larvae
T. Benítez-Santana (Las Palmas, Spain), R. Masuda (Kyoto, Japan), E. Juárez Carrillo, E. Ganuza, A. Valencia, C.M. Hernández-Cruz and M.S. Izquierdo (Las Palmas, Spain) . . . 408
Swimming activity and feeding behaviour of larval European sea bass (*Dicentrarchus labrax* L): Effects of ontogeny and increasing food density
V. Georgalas, S. Malavasi, P. Franzoi and P. Torricelli (Venezia, Italy) . . . 418
A proposed life history strategy for the salmon louse, *Lepeophtheirus salmonis* in the subarctic Pacific
R.J. Beamish, C.M. Neville, R.M. Sweeting, S.R.M. Jones, N. Ambers, E.K. Gordon, K.L. Hunter and T.E. McDonald (Nanaimo, B.C., Canada) . . . 428
Developmental stage of Atlantic salmon parr regulates pituitary GH secretion and parr–smolt transformation
U. Nordgarden (Matredal, Norway), B.T. Björnsson (Matredal, Norway; Göteborg, Sweden) and T. Hansen (Matredal, Norway) . . . 441
Analysis of hemocyte parameters in Pacific oysters, *Crassostrea gigas*, reared in the field — Comparison of hatchery diploids and diploids from natural beds
B. Gagnaire, P. Soletchnik, N. Faury, N. Kerdudou, O. Le Moine and T. Renault (La Tremblade, France) . . . 449
Development and characterisation of some intestinal enzymes in Atlantic cod (*Gadus morhua* L.) and Atlantic halibut (*Hippoglossus hippoglossus* L.) larvae
A. Kvåle (Bergen, Norway), A. Mangor-Jensen (Storebø, Norway), M. Moren, M. Espe and K. Hamre (Bergen, Norway) . . . 457
In vitro manipulation of egg activation in the open thelycum shrimp *Litopenaeus*
E. Rojas and J. Alfaro (Puntarenas, Costa Rica) . . . 469

Short Communication
Cage culture of spotted wolffish (*Anarhichas minor* Olafsen)
A. Mortensen, H. Toften and K. Aas (Norway) . . . 475

Contents of *Aquaculture*, Volume 264 . . . 479